

### If you are at higher risk of getting very sick from COVID-19, you should:

- Stock up on supplies.
- Take everyday precautions to keep space between yourself and others.
- When you go out in public, keep away from others who are sick, limit close contact and wash your hands often.
- Avoid crowds as much as possible.
- Avoid <u>cruise travel</u> and non-essential air travel.
- During a COVID-19 outbreak in your community, <u>stay home</u> as much as possible to further reduce your risk of being exposed.

### Who is at Higher Risk?

Early information out of China, where COVID-19 first started, shows that some people are at higher risk of getting very sick from this illness. This includes:

- Older adults
- People who have serious chronic medical conditions like:
  - ⇒ Heart disease
  - ⇒ Diabetes
  - ⇒ Lung disease





If a COVID-19 outbreak happens in your community, it could last for a long time. (An outbreak is when a large number of people suddenly get sick.) Depending on how severe the outbreak is, public health officials may recommend community actions to reduce people's risk of being exposed to COVID-19. These actions can slow the spread and reduce the impact of disease.

If you are at higher risk for serious illness from COVID-19 because of your age or because you have a serious long-term health problem, it is extra important for you to take actions to reduce your risk of getting sick with the disease.

### **Get Ready for COVID-19 Now**

- Have supplies on hand
  - ⇒ Contact your healthcare provider to ask about obtaining extra necessary medications to have on hand in case there is an outbreak of COVID-19 in your community and you need to stay home for a prolonged period of time.
  - ⇒ If you cannot get extra medications, consider using mail-order for medications.
  - ⇒ Be sure you have over-the-counter medicines and medical supplies (tissues, etc.) to treat fever and other symptoms. Most people will be able to recover from COVID-19 at home.
  - ⇒ Have enough household items and groceries on hand so that you will be prepared to stay at home for a period of time.





- Take everyday precautions
  - ⇒ Avoid close contact with people who are sick
  - ⇒ Take everyday preventive actions
    - Clean your hands often
    - Wash your hands often with soap and water for at least 20 seconds, especially after blowing your nose, coughing, or sneezing, or having been in a public place.
    - If soap and water are not available, use a hand sanitizer that contains at least 60% alcohol.
    - To the extent possible, avoid touching high-touch surfaces in public places elevator buttons, door handles, handrails, handshaking with people, etc. Use a tissue or your sleeve to cover your hand or finger if you must touch something.
    - Wash your hands after touching surfaces in public places.
    - Avoid touching your face, nose, eyes, etc.
    - Clean and disinfect your home to remove germs: practice routine cleaning of frequently touched surfaces (for example: tables, doorknobs, light switches, handles, desks, toilets, faucets, sinks & cell phones)
    - Avoid crowds, especially in poorly ventilated spaces. Your risk of exposure to respiratory viruses like COVID-19 may increase in crowded, closed-in settings with little air circulation if there are people in the crowd who are sick.
    - Avoid all non-essential travel including plane trips, and especially avoid embarking on cruise ships.





- If COVID-19 is spreading in your community, take extra measures to put distance between yourself and other people to further reduce your risk of being exposed to this new virus.
  - ⇒ Stay home as much as possible.
    - Consider ways of getting food brought to your house through family, social, or commercial networks
- Have a plan for if you get sick:
  - ⇒ Consult with your health care provider for more information about monitoring your health for symptoms suggestive of COVID-19.
  - ⇒ Stay in touch with others by phone or email. You may need to ask for help from friends, family, neighbors, community health workers, etc. if you become sick.
  - ⇒ Determine who can provide you with care if your caregiver gets sick





### Watch for symptoms and emergency warning signs

- Pay attention for potential COVID-19 symptoms including, fever, cough, and shortness of breath. If you feel like you are developing symptoms, call your doctor.
- If you develop emergency warning signs for COVID-19 get medical attention immediately. In adults, emergency warning signs\*:
  - ⇒ Difficulty breathing or shortness of breath
  - ⇒ Persistent pain or pressure in the chest
  - ⇒ New confusion or inability to arouse
  - ⇒ Bluish lips or face

\*This list is not all inclusive. Please consult your medical provider for any other symptoms that are severe or concerning.





### What to Do if You Get Sick

- Stay home and call your doctor
- Call your healthcare provider and let them know about your symptoms. Tell them that you have or may have COVID-19. This will help them take care of you and keep other people from getting infected or exposed.
- If you are not sick enough to be hospitalized, you can recover at home. Follow CDC instructions for <a href="how to take">how to take</a> care of yourself at home.
- Know when to get emergency help
- Get medical attention immediately if you have any of the emergency warning signs listed above.





### What Others can do to Support Older Adults

### **Community Support for Older Adults**

- Community preparedness planning for COVID-19 should include older adults and people with disabilities, and the organizations that support them in their communities, to ensure their needs are taken into consideration.
  - ⇒ Many of these individuals live in the community, and many depend on services and supports provided in their homes or in the community to maintain their health and independence.
- Long-term care facilities should be vigilant to prevent the introduction and spread of COVID-19. <u>Information for long-term care facilities can be found here.</u>

### **Family and Caregiver Support**

- Know what medications your loved one is taking and see if you can help them have extra on hand.
- Monitor food and other medical supplies (oxygen, incontinence, dialysis, wound care) needed and create a backup plan.
- Stock up on non-perishable food items to have on hand in your home to minimize trips to stores.
- If you care for a loved one living in a care facility, monitor the situation, ask about the health of the other residents frequently and know the protocol if there is an outbreak.

