

<b>Department of Public Health &amp; Social Services</b> <b>Division of Environmental Health</b> <b>Sanitation Inspection Results</b>								
<b>November 07, 2025 - November 25, 2025</b>								
<b>No.</b>	<b>Name of Establishment - Village</b>	<b>Type of Establishment</b>	<b>Date of Inspection</b>	<b>Type of Inspection</b>	<b>Demerits</b>	<b>Grade</b>	<b>Item/Violation/Observations</b>	<b>Comments</b>
1	Hilton Cafe Cino - Tamuning	Coffee Shop	11/7/2025	Complaint	0	A	No violations observed.	
2	Yigo Island Pantry - Yigo	Manufacturer	11/13/2025	Assessment	N/A	N/A	No violations observed.	Establishment was not in operation at the time of assessment.
3	Gayinero Mart - Yigo	Manufacturer	11/13/2025	Assessment	N/A	N/A	No violations observed.	Establishment was not in operation at the time of assessment.
4	King Store - Yigo	Manufacturer	11/13/2025	Assessment	N/A	N/A	No violations observed.	Establishment was not in operation at the time of assessment.
5	DOE- Untalan Middle School - Barrigada	School	11/13/2025	Complaint	N/A	N/A	No violations observed.	
6	Lone Star Steakhouse - Tamuning	Restaurant	11/13/2025	Complaint	5	A	Item #8: Handwashing facilities not adequately supplied and accessible.* Item #20: Multiple PHF/TCS food not meeting temperature requirement for cold holding.* Item #32: Not approved thawing methods used. Item #33: Thermometer not provided and/or accurate. Item #35: Presence of insects, rodents, and/or animals observed. Item #36: Food contamination not prevented during food preparation, storage, and display. Item #52: Physical facilities not properly installed, maintained, and/or kept clean.  *Corrected On-Site (COS)	
7	Guam Plaza Hotel - Tumon	Temporary Workforce Housing	11/13/2025	Complaint	0	A	No violations observed.	
8	Dededo Dental Center - Tamuning	Temporary Workforce Housing	11/14/2025	Regular	7	A	Item #1: Permits, and/or Inspection Report not posted. Item #12: Exterior openings not sealed or provided with screens. Item #22: Toilet facility walls and ceilings not using easily cleanable material, not kept clean, and/or not in good repair.	
9	Olive Garden - Tamuning	Restaurant	11/14/2025	Complaint	3	*SP Suspension	Item #35: Presence of insects, rodents, and/or animals observed. Item #52: Physical facilities not properly installed, maintained, and/or kept clean.	*Total demerit point less than 41; however, Sanitary Permit (SP) suspended due to cockroach infestation.
10	Tri-Con Corp. - Tamuning	Temporary Workforce Housing	11/17/2025	Regular	9	A	Item #12: Exterior openings not sealed or provided with screens. Item #20: Toilet room fixtures not in good repair.	
11	Yigo Island Pantry - Yigo	Manufacturer	11/17/2025	Assessment	N/A	N/A	No violations observed.	Establishment was informed that they may resume operations.
12	Gayinero Mart - Yigo	Manufacturer	11/17/2025	Assessment	N/A	N/A	No violations observed.	Establishment was informed that they may resume operations.

No.	Name of Establishment - Village	Type of Establishment	Date of Inspection	Type of Inspection	Demerits	Grade	Item/Violation/Observations	Comments
13	King Store - Yigo	Manufacturer	11/17/2025	Assessment	N/A	N/A	No violations observed.	Establishment was informed that they may resume operations.
14	Olive Garden - Tamuning	Restaurant	11/17/2025	Follow-Up	0	A	No violations observed.	Sanitary Permit was re-instated.
15	Sodexo Food Service-BP Carbullido Elementary - Barrigada	Cafeteria	11/18/2025	Regular	0	A	Item #35: Presence of insects, rodents, and/or animals observed.* *Corrected On-Site (COS)	
16	Reaction Company- Mangilao	Temporary Workforce Housing	11/20/2025	Regular	0	A	No violations observed.	
17	JK Guest House - Tamuning	Temporary Workforce Housing	11/21/2025	Regular	4	A	Item #28: Facility not properly maintained. Item #18: Refuse disposal not adequate, cleanable, insect, and rodent proof.	
18	Unnai Room (Inside Westin Resort) Tumon	Restaurant	11/21/2025	Follow-Up	0	A	No violations observed.	Sanitary Permit was re-instated.
19	Somnak Ballroom (Inside Westin Resort) - Tumon	Restaurant	11/21/2025	Follow-Up	0	A	No violations observed.	Sanitary Permit was re-instated.
20	I Pilan Room (Inside Westin Resort) - Tumon	Restaurant	11/21/2025	Follow-Up	0	A	No violations observed.	Sanitary Permit was re-instated.
21	Pution Room (Inside Westin Resort) - Tumon	Restaurant	11/21/2025	Follow-Up	0	A	No violations observed.	Sanitary Permit was re-instated.
22	Taste (Inside Westin Resort) - Tumon	Restaurant	11/21/2025	Follow-Up	0	A	No violations observed.	Sanitary Permit was re-instated.
23	Westin Resort Guam (The) - Tumon	Catering	11/21/2025	Follow-Up	0	A	No violations observed.	Sanitary Permit was re-instated.
24	Westin Resort Guam (The) - Tumon	Processing Plant	11/21/2025	Follow-Up	0	A	No violations observed.	Sanitary Permit was re-instated.
25	Westin Resort Guam (The) - Tumon	Food Warehouse	11/21/2025	Follow-Up	0	A	No violations observed.	Sanitary Permit was re-instated.
26	Westin Resort Guam (The) - Tumon	In-plant Employee Eating	11/21/2025	Follow-Up	0	A	No violations observed.	Sanitary Permit was re-instated.
27	AIC International- Unit D- Dago Lane. - Mangilao	Temporary Workforce Housing	11/24/2025	Regular	0	A	No violations observed.	
28	AIC International- Unit E- Dago Lane - Mangilao	Temporary Workforce Housing	11/24/2025	Regular	13	C	Item #17: Facility not maintained Item #12: Exterior opening not sealed or provided with screens. Item #34: No adequate vector control in place. Item #20: Toilet room door in disrepair.	Facility was downgraded due to repeat violation. Issued letter of warning.
29	Buenas Market - Yona	Retail	11/25/2025	Complaint	0	A	Item #20: Multiple PHF/TCS food not meeting temperature requirement for cold holding.* *Corrected On-Site (COS)	
30	Yogurtland Tamuning - Tamuning	Soda Fountain	11/25/2025	Complaint	4	A	Item #51: Garbage receptacles not supplied with lids. Item #52: Physical facilities not properly installed, maintained, and/or kept clean. Item #53: Adequate ventilation not provided	