



**DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES
DIVISION OF ENVIRONMENTAL HEALTH
CHILD CARE FACILITY
INSPECTION REPORT**

REASON		GRADE 8	Inspection Date: 07/19/2016		ESTABLISHMENT NAME: ABC CHILDREN'S CENTER	
Regular	<input checked="" type="checkbox"/>		Time In/Out: 2:50 4:15		OWNER/OPERATOR: TAMONDONG, LEONARDO/SABINA	
Follow-Up	<input type="checkbox"/>	RATING A	Sanitary Permit No.: 20000-10000708		LOCATION: DEDEDO	
Complaint	<input type="checkbox"/>		PERMIT STATUS: <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Temporary <input type="checkbox"/> Expired		Establishment Type: CHILD CARE CENTER/NURSERY	
Investigation	<input type="checkbox"/>					
Other:	<input type="checkbox"/>					

No. of Children: 35 Male 23 Female 58 Total Child Care License: No.: 150024 Valid Provisional Expired

The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection or sooner as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal a written request for hearing must be submitted before the indicated correction date.

ITEM*	REMARKS	DEMERIT	CORRECT BY
	A REGULAR QUARTERLY INSPECTION WAS CONDUCTED TODAY. ALL VIOLATIONS (ITEMS # 24, # 31, & # 34) ON PREVIOUS INSPECTION (10/A) DATED 04/25/2016 WERE CORRECTED. THE FOLLOWING VIOLATIONS WERE OBSERVED TODAY:		
17	PAINT PEELING ON WALL OF TODDLER I AREA ON THE LEFT SIDE. WALLS SHALL BE KEPT CLEAN & IN GOOD REPAIR	2	08/19/2016
18	EXIT DOOR IN THE PRE-K AREA NEAR THE RESTROOM HAS A BIG GAP/OPENING ON THE BOTTOM. ALL OPENINGS SHALL BE EFFECTIVELY SCREENED TO PREVENT ENTRANCE OF PESTS.	2	08/19/2016
29	ROACH FRASS & ODOR OBSERVED IN ALL CABINETS UNDER THE TWO SINKS IN THE TODDLER/INFANT AREA. INDOOR AND OUTDOOR AREAS SHALL BE ADEQUATELY PROTECTED & MAINTAINED AGAINST PESTS.	2	08/19/2016
31	CABINET UNDER THE SINK IN INFANT AREA IS IN DISREPAIR. ELECTRICAL OUTLET IN THE INFANT AREA NOT PROVIDED	2	08/19/2016

I have read and understand the above violation(s) and I am aware of the corrective measures to be taken.

*Note: When any of the following items are cited above, they shall be corrected within 10 days of this inspection:
(2), (4), (6), (14), (21), (23), (24), (27), (28), (39) & (40).

Received By (Name & Title):
LETIANI NAVARRO, EPHD I
7-19-16

