DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES
DIVISION OF ENVIRONMENTAL HEALTH

CHILD CARE FACILITY INSPECTION REPORT

REASON		GRADE	Inspection Date:	ESTABLISHMENT NAME:
Regular	✓	Ø	2/29/16	PNG & LBO PALACE LEARNING CENTER
Follow-Up			Time In/Out:	OWNER/OPERATOR:
Complaint			2:00 / 2:45	PNG, INC.
Investigation		RATING		LOCATION: Ordot ✓ / Establishment Type: CCC/NURSERY
Other:		A	Sanitary Permit No.: ~~20000-~~ 150000641	PERMIT STATUS: ✓ Valid ___ Temporary ___ Expired
No. of Children: 10 Male 5 Female 15 Total				Child Care License: No.: 15W35 / 4 Valid / / Provisional / / Expired

The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection or sooner as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal a written request for hearing must be submitted before the indicated correction date.

ITEM*	REMARKS	DEMERIT	CORRECT BY
	A REGULAR INSPECTION WAS CONDUCTED.		
	PREVIOUS INSPECTION ON 11/17/16		
	THE FOLLOWING WAS OBSERVED:		
#21	NO HOT WATER PROVIDED		
	HOT WATER SHALL BE PROVIDED FOR	6	COS
	KITCHEN FACILITIES		
#13	NO PAPER TOWEL IN RESTROOM	X	COS
	"A" PLACARD # 02144 ISSUED		
	BRIEFED PIC MAUREEN LUJAN ON ABOVE		

I have read and understand the above violation(s) and I am aware of the corrective measures to be taken.

*Note: When any of the following items are cited above, they shall be corrected within 10 days of this inspection:
(2), (4), (6), (14), (21), (23), (24), (27), (28), (39) & (40).

Received By (Name & Title): Maureen Lujan - Director

DEH Inspector (Name & Title): J. CRUZ EPHO I

Rev: 08/2/05
DEH-06

White Copy - DEH Yellow Copy - Establishment