



GENERAL CONTRACTOR

Commercial - Residential - Industrial - Renovation - Extension - Civil Works - Fencing - Painting - Plumbing - Electrical
CONCRETE CRACK REPAIR SOLUTION BY EPOXY INJECTION

COVID - 19 Response Plan

B - 3 Daily Plaza Building Dededo, Guam 96929
Tel: (671) 632-4312

March 16,2020

**MEMORANDUM CONCERNING KONSTRAK BUILDERS COVID-19
EMPLOYEE GUIDELINES AND ACTION PLAN**

The following are the guidelines to be followed by all Management and Konstrak Builders employees:

1. Management will actively monitor the development of the virus outbreak from local Government advising on actions required and disseminate messages with clear instructions on actions required by the employees.
2. Management will brief employees on infection control measures and the preventive procedures. This will include posting of posters to highlight proper hygiene measures to control the spread of the virus.
3. Brief the employees on personal hygiene measures, to:
 - a. Wash hands frequently;
 - b. Cover your mouth with a tissue paper when coughing or sneezing and dispose the soiled tissue paper in the rubbish bin immediately;
 - c. Avoid sharing of cups, cutlery, etc.;
 - d. Avoid physical contact such as shaking hands
 - e. Avoid crowded places & close contact with people;
 - f. Observe good personal hygiene

g. Practice frequent hand washing with soap (e.g. before handling food or eating, after going to the toilet. or when hands are dirtied by respiratory secretions after coughing or sneezing);

4. Konstrak Builders Safety Representative will post copies of the CDC pamphlets attached to this Plan at the entrance of our office as a reminder to our employees of CDC recommended actions.

5. Employees will be instructed to medical attention promptly if they or their family members have a fever or any symptoms for the COVID -19 virus.

6. The following applies to all employees of Konstrak Builders in order to protect their fellow employees and families.

a. Employees who have symptoms of acute respiratory illness are to stay home and not come to work until they are free of fever (100.4°F (38.0°C) or less using an oral thermometer), and any other symptoms for at least 24 hours, without the use of fever-reducing or other symptom-altering medicines (e.g. cough suppressants). The employee will remain home for a period of 14 days once their fever and other symptoms have cleared.

b. Employees are also to stay home should a family member or other person residing in their household has any symptoms of acute respiratory illness especially if they have a fever of 100.4°F (38.0°C). Same guidelines as in paragraph one applies, the employee will self quarantine for 14 days.

7. Employees or their family members that have traveled to affected areas (as defined by the CDC as Warning Level 2 & 3) are required to self - quarantine for the recommended 14 days and as directed by the Governor of Guam.

Coronavirus disease 2019 (COVID-19) and you

What is coronavirus disease 2019?

Coronavirus disease 2019 (COVID-19) is a respiratory illness that can spread from person to person. The virus that causes COVID-19 is a novel coronavirus that was first identified during an investigation into an outbreak in Wuhan, China.

Can I get COVID-19?

Yes. COVID-19 is spreading from person to person in parts of the world. Risk of infection from the virus that causes COVID-19 is higher for people who are close contacts of someone known to have COVID-19, for example healthcare workers, or household members. Other people at higher risk for infection are those who live in or have recently been in an area with ongoing spread of COVID-19.

Learn more about places with ongoing spread at <https://www.cdc.gov/coronavirus/2019-ncov/about/transmission.html#geographic>.

The current list of global locations with cases of COVID-19 is available on CDC's web page at <https://www.cdc.gov/coronavirus/2019-ncov/locations-confirmed-cases.html>.

How does COVID-19 spread?

The virus that causes COVID-19 probably emerged from an animal source, but is now spreading from person to person. The virus is thought to spread mainly between people who are in close contact with one another (within about 6 feet) through respiratory droplets produced when an infected person coughs or sneezes. It also may be possible that a person can get COVID-19 by touching a surface or object that has the virus on it and then touching their own mouth, nose, or possibly their eyes, but this is not thought to be the main way the virus spreads. Learn what is known about the spread of newly emerged coronaviruses at <https://www.cdc.gov/coronavirus/2019-ncov/about/transmission.html>.

What are the symptoms of COVID-19?

Patients with COVID-19 have had mild to severe respiratory illness with symptoms of:

- fever
- cough
- shortness of breath

What are severe complications from this virus?

Some patients have pneumonia in both lungs, multi-organ failure and in some cases death.

People can help protect themselves from respiratory illness with everyday preventive actions.

- Avoid close contact with people who are sick.
- Avoid touching your eyes, nose, and mouth with unwashed hands.
- Wash your hands often with soap and water for at least 20 seconds. Use an alcohol-based hand sanitizer that contains at least 60% alcohol if soap and water are not available.

If you are sick, to keep from spreading respiratory illness to others, you should

- Stay home when you are sick.
- Cover your cough or sneeze with a tissue, then throw the tissue in the trash.
- Clean and disinfect frequently touched objects and surfaces.

What should I do if I recently traveled from an area with ongoing spread of COVID-19?

If you have traveled from an affected area, there may be restrictions on your movements for up to 2 weeks. If you develop symptoms during that period (fever, cough, trouble breathing), seek medical advice. Call the office of your health care provider before you go, and tell them about your travel and your symptoms. They will give you instructions on how to get care without exposing other people to your illness. While sick, avoid contact with people, don't go out and delay any travel to reduce the possibility of spreading illness to others.


Is there a vaccine?

There is currently no vaccine to protect against COVID-19. The best way to prevent infection is to take everyday preventive actions, like avoiding close contact with people who are sick and washing your hands often.

Is there a treatment?

There is no specific antiviral treatment for COVID-19. People with COVID-19 can seek medical care to help relieve symptoms.





What to do if you are sick with coronavirus disease 2019 (COVID-19)

If you are sick with COVID-19 or suspect you are infected with the virus that causes COVID-19, follow the steps below to help prevent the disease from spreading to people in your home and community.

Stay home except to get medical care

You should restrict activities outside your home, except for getting medical care. Do not go to work, school, or public areas. Avoid using public transportation, ride-sharing, or taxis.

Separate yourself from other people and animals in your home

People: As much as possible, you should stay in a specific room and away from other people in your home. Also, you should use a separate bathroom, if available.

Animals: Do not handle pets or other animals while sick. See [COVID-19 and Animals](#) for more information.

Call ahead before visiting your doctor

If you have a medical appointment, call the healthcare provider and tell them that you have or may have COVID-19. This will help the healthcare provider's office take steps to keep other people from getting infected or exposed.

Wear a facemask

You should wear a facemask when you are around other people (e.g., sharing a room or vehicle) or pets and before you enter a healthcare provider's office. If you are not able to wear a facemask (for example, because it causes trouble breathing), then people who live with you should not stay in the same room with you, or they should wear a facemask if they enter your room.

Cover your coughs and sneezes

Cover your mouth and nose with a tissue when you cough or sneeze. Throw used tissues in a lined trash can; immediately wash your hands with soap and water for at least 20 seconds or clean your hands with an alcohol-based hand sanitizer that contains at least 60% alcohol covering all surfaces of your hands and rubbing them together until they feel dry. Soap and water should be used preferentially if hands are visibly dirty.

Avoid sharing personal household items

You should not share dishes, drinking glasses, cups, eating utensils, towels, or bedding with other people or pets in your home. After using these items, they should be washed thoroughly with soap and water.

Clean your hands often

Wash your hands often with soap and water for at least 20 seconds. If soap and water are not available, clean your hands with an alcohol-based hand sanitizer that contains at least 60% alcohol, covering all surfaces of your hands and rubbing them together until they feel dry. Soap and water should be used preferentially if hands are visibly dirty. Avoid touching your eyes, nose, and mouth with unwashed hands.

Clean all "high-touch" surfaces every day

High touch surfaces include counters, tabletops, doorknobs, bathroom fixtures, toilets, phones, keyboards, tablets, and bedside tables. Also, clean any surfaces that may have blood, stool, or body fluids on them. Use a household cleaning spray or wipe, according to the label instructions. Labels contain instructions for safe and effective use of the cleaning product including precautions you should take when applying the product, such as wearing gloves and making sure you have good ventilation during use of the product.

Monitor your symptoms

Seek prompt medical attention if your illness is worsening (e.g., difficulty breathing). **Before** seeking care, call your healthcare provider and tell them that you have, or are being evaluated for, COVID-19. Put on a facemask before you enter the facility. These steps will help the healthcare provider's office to keep other people in the office or waiting room from getting infected or exposed.

Ask your healthcare provider to call the local or state health department. Persons who are placed under active monitoring or facilitated self-monitoring should follow instructions provided by their local health department or occupational health professionals, as appropriate.

If you have a medical emergency and need to call 911, notify the dispatch personnel that you have, or are being evaluated for COVID-19. If possible, put on a facemask before emergency medical services arrive.

Discontinuing home isolation

Patients with confirmed COVID-19 should remain under home isolation precautions until the risk of secondary transmission to others is thought to be low. The decision to discontinue home isolation precautions should be made on a case-by-case basis, in consultation with healthcare providers and state and local health departments.



For more information: www.cdc.gov/COVID19