

Clubs of Guam, Inc./Club U.S.A.

2021 COVID-19 OPENING PROTOCOLS

Maintaining Healthy Environment

Cleaning and Disinfection

Frequently touched surfaces (e.g., door handles, cash registers, workstations, sink handles, bathroom areas) will be cleaned and disinfected consistently throughout business open hours. Shared objects (e.g., payment terminals, tables, countertops/bars, receipt trays, will be cleaned/disinfected between each use.

Disinfection routine will be established, and staff will be trained in proper cleaning timing and procedures to ensure safe and correct application of disinfectants.

Schedules will be assigned for increased, routine cleaning and disinfection. Customers who are walking around the building will be reminded to always wear masks when on the property as they go to different venues or to parking lot.

Hallways, stairwells, elevators, and Entrance areas will be mopped and sanitized several times a day with a commercial **Simple Green D Pro 5** (see attachment 1) that is a Cleaner-Sanitizer-Fungicide-Mildewstat-Virucide-Deodorizer in one step application process **which is effective against** many virus's including,

Sars-- Avian influenza--Influenza virus and the Human Coronavirus.

Air Purifiers will be situated around the club to help purify and sanitize the air in the club and serviced at regular intervals as will be the air conditioning filters and coils.

Gloves will be used when removing garbage bags or handling and disposing of trash. Handwashing is required after removing gloves.

All tables and booths will be sanitized after or between use by different customers.

End of night procedures will have employees sanitize all tables, booths, counters, and bare floor areas with a stronger mix of the **Simple Green D Pro 5** and all

bathrooms will be sprayed with **Zep Antibacterial, Disinfectant and Cleaner with Lemon** which also registered with the EPA for use against the above Virus's along with many others. (see attachment 2).

The final end of night protocol will be to set up and turn on a room fogger that once we exit and lock the door will disperse a fog that will fill the entire club with a sanitizing fog that gets into every nook and cranny. This Fog AZ-F24, is specially formulated to Sanitize and Disinfect against the Corona Virus as well as many other viruses (see attachment 3a-b) and once applied does not need to be cleaned up after as leaves no residue on any surfaces and is safe to touch as it continues its protection thru the next day.

Shared Objects

Sharing of items that are difficult to clean, sanitize, or disinfect is discouraged.

Adequate supplies to minimize sharing of high-touch materials will be maintained to the extent possible: otherwise, use of supplies and equipment will be limited to one group of workers at a time and will be cleaned and disinfected between use.

We will encourage use of touchless payment options as much as possible, if available. Customers and employees will be asked to exchange cash or card payments by placing them on a tray or on the counter rather than hand to hand to avoid any contact. We will clean and disinfect frequently touched surfaces such as trays, pens, counters and encourage customers to use their own pens.

Use of food and beverage utensils and containers brought in by customers will not be allowed.

Modified Layouts and Procedures

A sign in sheet will be provided at the entrance to the club and staff will encourage customers to sign in and leave a contact number in order for contact tracing should it be required so we can notify employees and customers of a possible positive Covid-19 result on the day they visited the club

Customers will be greeted at the door by a staff member who will check appropriate wearing of masks, temperature and administer a dose of Hand Sanitizer to each one as well as check ID's to be sure they are age appropriate. Staff will do its best not to have any physical contact with customers and if must touch I.D.'s will have ample supply of sanitizer wipes to be able to take them and scrutinize birthdates without actually touching the card.

Hallways to entrance will be marked in six-foot distance markers so those awaiting entry stay 6 feet apart. Smoking area at back of club will be marked so six-foot distances can be clearly adhered to. Customers returning from smoking area will be required to sanitize their hands upon re-entry to club.

Club layout will be made to ensure that all customer parties remain apart from each other by installing Plexiglass Barriers between each booth and other area where contact might be inadvertently made and areas where Plexiglass Barriers will not be prudent, customers will be required to keep 6 feet apart.

Sneeze Guards or partitions will be placed on the bar to keep workers and customers who approach the bar, always separated.

Closed shared spaces, such as break rooms, smoking area will be cleaned and disinfected regularly during business hours.

Seating capacity will be limited to allow correct social distancing. Customers congregating in one area will be asked to please take a table and maintain social distancing.

Customers will be required to always wear a mask. Masks can only be removed if they are sitting and drinking. At anytime customers get up from their table to go out to smoke, go restroom, talk to other customers, pay their bill at counter (which will be greatly discouraged) or leave the club they must wear their masks. Should a customer lose his mask somehow, a medical N95mask will be provided to him to stay within the protocols.

Customers who do not adhere to this guideline will not be served and be requested to leave the premises.

EMPLOYEES

Employees will all go thru an orientation and made aware of the COVID-19 Protocols we have instituted before they can work to ensure procedures are followed.

Employees are required to always wear masks. Employees are required to wash hands or sanitize, (before, during, and after preparing beverages/drinks and after touching any communal surfaces with soap and water for 20 seconds. Sanitize vessels will be placed all around the club for easy access by employees and customers so they can sanitize anytime.

Employees will be encouraged to use tissues throughout the night for use in case of any sneezes or coughs and dispose of them after each use appropriately in a covered trash can. Should they sneeze or cough they will be required to wash hands immediately with soap and water for 20 seconds. If soap and water are not readily available, they will use a hand sanitizer that is at least 60% alcohol.

Appropriate cloth masks or medical N95 disposable masks will be always used by the employees when working or within the building.

Adequate supplies will be ensured to support health hygiene behaviors. Supplies including soap, hand sanitizer containing at least 60% alcohol (placed conveniently and abundantly around the club), paper towels, tissues, sanitizing wipes, extra N95 medical grade masks will be always available.

Signs will be posted in highly visible locations that promote everyday protective measures and describe how to stop the spread of germs.

Employees will be educated about when they should stay home and when they can return to work. Employees who are sick or have had recent contact with a Covid-19 person will be required to stay home. Should such employees stay home due to sickness or contact with a COVID-19 person, they will be required to wait the required number of days (14) and/or get tested for COVID-19 to return to work with a negative test result.

Employees will be encouraged to stay home and monitor their health should the above occur, so they can return to work as soon as its feasible.

Maintaining Healthy Operations

Shifts will be staggered or rotated to limit the number of employees in the club at the same time to adhere to social distancing protocols and allow a larger customer base within the club.

Number of customers in establishment will be limited by the current guidelines provided by Public Health. Levels will vary between 25%-50%-75% and 100% as designated by the Governor.

Business Hours will be usually from 7 p.m. to 2 a.m.

Gatherings

Group events, gatherings, or where social distancing cannot be properly maintained are discouraged. Larger groups will be broken down and separated to fit within the booths to maintain current group numbers.

Designated COVID-19 Point of Contact

We will have a designated staff person for each shift to be responsible to responding to COVID-19 concerns. Staff members will be informed who this person is and how to contact them at the beginning of each shift.

Communication

Put systems in place for:

Consistent with applicable law and privacy policies, having staff report to the establishment's management if they have symptoms of COVID-19, a positive test for COVID-19, or were exposed to someone with COVID-19 within the last 14 days in accordance with the Health Information Sharing regulations for COVID-19.

Notifying staff, customers who signed in upon entrance, and the public of business closures, and restrictions in places to limit COVID-19 exposure.

Back up Staffing plan

Monitor absenteeism of employees, cross train staff and create a roster of trained staff. Train all employees in safety actions.

Conduct training virtually or ensure that social distancing is maintained during training.

Recognizing Signs and Symptoms

Daily health checks will be conducted (temperature screenings, and symptom checking) of staff safely and respectfully, and in accordance with any applicable privacy laws and regulations.

Preparing for Sick Employees

Advise Sick Employees of Home Isolation Criteria

Communicate to sick employees that they should not return to work until they have met CDC's criteria to discontinue home isolation.

Contact local authorities of possible positive COVID-19 person for observation and possible quarantine at government's quarantine facility or hospital.

Isolate and Transport Those Who are Sick

Make sure employees know they should not come to work if they are sick, notify their manager or other designated COVID-19 point of contact if they become sick.

with COVID-19 symptoms, test positive for COVID-19, or have come in contact to someone with COVID-19 symptoms or confirmed or suspected case.

Immediately separate employees or customers with COVID-19 symptoms (i.e., fever, cough, shortness of breath). Individual who are sick should go home immediately or to a healthcare facility, depending on how severe their symptoms are, and follow CDC guidance for caring for oneself and others who are sick.

Clean and Disinfect.

Areas used by a sick person will be closed off and will not be used until after cleaning and disinfecting them after a 24-hour waiting period.

Notify Health Officials and Close Contacts

In accordance with local laws, we will notify local health officials and staff immediately of any case of COVID-19 among employees or customers, while maintaining confidentiality in accordance with the Americans with Disabilities Act.

Employees who have had close contact with a person diagnosed with COVID-19 will be advised to stay home and self-monitor symptoms and follow CDC guidance if symptoms develop. Cloth face coverings are required among all staff and customers.

Cloth face coverings should not be placed on:

Anyone who is unconscious or is having difficulty breathing.

Anyone who is incapacitated or otherwise unable to remove the face covering unassisted.

Communicate with customers and Employees so they know what we are doing to mitigate the spread of COVID-19 thru social media platforms and signage inside and outside the club.

ATTACHMENT

1

Simple Green d Pro 5 Kills Pandemic 2009 H1N1 Influenza A Virus (formerly called swine flu).

As a disinfectant, Simple Green d Pro 5 is effective against:

- *Aerobacter baumannii
- *Adenovirus Type 5 & Type 7 (8 oz. per gallon of water)
- Aspergillus niger
- *Avian Influenza Virus (H5N1) & (H5N2)
- *Burkholderia cepacia
- *Canine Distemper Virus
- Corynebacterium jeikeium
- Enterobacter aerogenes
- Enterococcus faecalis
- Enterococcus faecalis - Vancomycin resistant (VRE)
- Escherichia coli
- *Feline Calicivirus
- *Hepatitis B Virus & Hepatitis C Virus
- *Herpes Simplex Virus Type 1 & Type 2
- *HIV-1 (the AIDS Virus)
- *Human Coronavirus
- *Influenza Virus Type A / Brazil & Type A / Hong Kong
- *2013 Influenza A Virus (H7N9)
- Klebsiella pneumoniae
- Legionella pneumophila
- Listeria monocytogenes
- *Newcastle's Disease Virus
- *Norwalk Virus (Norovirus)
- Pseudomonas aeruginosa
- *Pseudotuberculosis Virus
- *Respiratory Syncytial Virus (RSV)
- *SARS Associated Coronavirus (SARS)
- Salmonella enterica
- Salmonella schottmulleri
- Salmonella typhi
- Serratia marcescens
- Shigella dysenteriae
- Staphylococcus aureus - Community Associated Methicillin-Resistant (MRSA) / (USA300) & (MRSA123) / (USA400)
- Staphylococcus aureus - Methicillin-Resistant (MRSA)
- Staphylococcus aureus - Vancomycin Intermediate Resistant (VISA)
- Streptococcus pyogenes
- Trichophyton mentagrophytes
- *Vaccinia [Pox Virus]
- Vibrio cholerae

Use Simple Green d Pro 5 on washable hard, nonporous surfaces of:

- Bathroom fixtures, Bathtubs
- Blenders
- Cabinets
- Chairs
- Chopping blocks & Cutting boards, plastic & other nonporous
- Cooking utensils
- Coolers & ice chests
- Countertops, Countertop laminates
- Cutlery
- Decks
- Dishes, Eating Utensils, & Glassware
- Doorknobs
- Exterior surfaces of appliances, microwave ovens & refrigerators
- Fiberglass shower stalls, sinks & tubs
- Floors
- Food processors
- Garbage cans
- Glazed ceramic, enameled surfaces, porcelain & tiles
- Highchairs
- Kennel runs
- Laminated surfaces
- Metal
- Outdoor furniture, except cushions & wood frames
- Plastic
- Sealed stone
- Showers stalls
- Sinks
- Stainless steel
- Stovetops
- Tables
- Telephones
- Toilets
- Ultrasonic baths
- Urnostery, vinyl and plastic
- Urinals
- Walls

Use Simple Green d Pro 5 in:

- Athletic facilities
- Barber shops
- Bars & Restaurants
- Bathrooms
- Business & office buildings
- Cafeterias
- Convenience stores
- Correctional facilities
- Day care centers
- Dental offices
- Emergency vehicles
- Exercise facilities
- Farms
- Food preparation areas
- Food storage areas
- Hospitals
- Hotels & Motels
- Institutional kitchens
- Institutions
- Kitchens
- Locker rooms
- Medical Offices
- Nursing homes
- Play ground equipment
- Per animal quarters
- Poultry farms
- Prisons
- Public rest rooms
- Schools
- Schools & Colleges
- Taxis
- Trains
- USDA inspected food processing facilities
- Zoos

Simple Green d Pro 5 is an effective sanitizer for use on pre-cleaned food contact surfaces at 300-400 ppm in waters up to 500 ppm hardness in 60 seconds against:

- Canopy/obscure jejuni
- Escherichia coli
- Salmonella enterica
- Shigella sonnei
- Staphylococcus aureus
- Vibrio cholerae
- Yersinia enterocolitica

Simple Green d Pro 5, consistent with 40 CFR §180.940 (a), when used per the food-contact sanitization instructions, for use on food-contact surfaces in public eating places, dairy-processing equipment, food processing equipment, utensils and other food-contact articles

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Before use in federally inspected meat and poultry food processing plants and dairies, food products and preparation of disinfectant use solution: Mix 2 oz. per gallon of water (1:50). Use 8 oz. per gallon of water to kill Adenovirus.

DISINFECTANT / VIRUCIDAL * / FUNGICIDAL / MOLD AND MILDEW CONTROL DIRECTIONS: Apply use-surfaces, thoroughly wetting the surfaces, with a cloth, mop, sponge, sprayer or by immersion. Treated surface sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required. For sprayer application, spray 6-8 inches from surface, rub with brush, sponge or cloth. Avoid breathing spray.

For fungicidal activity, Simple Green d Pro 5® is an effective fungicide against Trichophyton mentagrophytes, dressing rooms, shower and bath areas and exercise facilities. Dilute at 2 oz. per gallon of water and allow 10 minutes. Simple Green d Pro 5 is a one-step fungicide at 2 oz. per gallon in 200 ppm hard water and 5% sea salt. At 2 oz. per gallon, Simple Green d Pro 5 will effectively inhibit the growth of mold and mildew and the odors of hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if needed. Do not use on utensils, glassware and dishes as a disinfectant.

BACTERICIDAL STABILITY OF USE-DILUTION: Tests confirm that Simple Green d Pro 5, when diluted in water against Pseudomonas aeruginosa, Staphylococcus aureus and Salmonella enterica for up to one week when always use clean, properly labeled containers when diluting this product. Bactericidal stability of the use-dilution containers such as buckets or pails.

*** This product is not for use on medical device surfaces.**

***KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY BODIED FLUIDS:** In health care settings or other settings in which there is an expected likelihood of soiling of meat, blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV) or SOILED WITH BLOOD / BODY FLUIDS.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV OR PERSONAL PROTECTION: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection. Clean-up must always be done wearing protective gloves, gowns, masks and eye protection. Objects before application of Simple Green d Pro 5.

CLEANING PROCEDURE: Blood and other body fluids containing HIV-1 or HBV or HCV must be thoroughly cleaned before application of Simple Green d Pro 5.

CONTACT TIME: Leave surface wet for 60 seconds for HIV-1 and 10 minutes for HBV and HCV with a 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7. Use a 10-minute contact time for disinfectio bacteria and fungi claimed.

DISPOSAL OF INFECTIOUS MATERIAL: Blood, body fluids, cleaning materials and clothing must be autoclaved to local regulations for infectious waste disposal.

U.S. PUBLIC HEALTH SERVICE FOOD SERVICE SANITIZATION RECOMMENDATIONS CLEANING AND SANITIZING

utensils shall be thoroughly pre-flushed or pre-scraped and when necessary, pre-soaked to remove gross food / debris. Thoroughly wash equipment and utensils in hot detergent solution.

3. Rinse utensils and equipment thoroughly with clean water.

4. For equipment and utensils too large to sanitize by immersion, apply a use solution of 1 oz. Simple Green d Pro 5 per 1 gallon of water (400 ppm active quat) for at least 60 seconds at a temperature of 75°F.

5. Allow sanitized surface to drain and air dry. Do not rinse.

TO SANITIZE NON-FOOD CONTACT SURFACES: Mix 1/2 oz. of Simple Green d Pro 5 per gallon of water 1 surfaces. Treated surfaces must remain wet for 60 seconds. Wipe or dry with a sponge, mop or cloth or allow to air dry.

TO CLEAN AND DEODORIZE: Mix 2 oz. per gallon of water to clean and deodorize surfaces. Apply using a cloth or sponge. Allow surface to remain wet for 10 minutes. Wipe or allow to air dry.

FOR USE ON FINISHED FLOORS: To limit gloss reduction, use Simple Green d Pro 5 at 2 oz. per gallon. A floor scrubber. Allow surface to remain wet for 10 minutes. Wipe or allow to air dry. Do not use on floor finish at

NON-ACID TOILET BOWL AND URINAL DISINFECTANT / CLEANER DIRECTIONS: Remove gross 1 sponge. Allow to stand for 10 minutes and flush.

PEEL HERE FOR SPANISH TEXT • DESPEGUE AQUÍ, PARA MAS INFORMACION

ATTACHMENT 2

ZEP® ANTI-BACTERIAL DISINFECTANT & CLEANER WITH LEMON is designed specifically as a general non-acid cleaner and disinfectant for use in homes, shower rooms, locker rooms, public restrooms, office buildings, manufacturing facilities, lodging establishments, retail businesses and schools where housekeeping is of prime importance in controlling the hazard of cross contamination. It is formulated to disinfect hard, non-porous, inanimate environmental surfaces: floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, glazed ceramic tile, plastic surfaces, chrome, brass, copper, laminated surfaces, baked enamel surfaces, bathtubs, shower stalls, bathtubs, and cabinets.


DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is not for use on critical or semi-critical medical device surfaces. Fill or refill the 32 oz. Zep Antibacterial Disinfectant & Cleaner with Lemon spray bottle with this product refill. Pour product into spray bottle over sink or tub basin. **DISINFECT, DEODORIZING AND CLEANING** - Remove gross filth or heavy soil prior to application of the product. Hold container six to eight inches from surface to be treated. Spray area until it is covered with the solution. Allow product to penetrate and the surface to remain wet for 3 minutes (for Bloodborne Pathogens: allow surface to remain wet for HIV-1 1 minute and HBV and HCV 5 minutes). No scrubbing is necessary. Wipe off with a clean cloth, mop or sponge. The product will not leave grit or soap scum. **One-step cleaning and disinfection of toilet bowls and urinals** - Remove water from bowl by forcing water over trap with a swab mop applicator. Press swab mop against side of the bowl to remove excess water from applicator. Apply 1 to 2 ounces of this product evenly, allowing sufficient time for product to cover entire surface of bowl for maximum cleaning. Swab bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for 3 minutes (for Bloodborne Pathogens: allow surface to remain wet for HIV-1 1 minute and for HBV and HCV 5 minutes) and flush.

Using approved AOAC test methods, in the presence of 5% blood serum and a 3 minute contact time, unless otherwise noted, this product kills the following organisms on hard non-porous inanimate surfaces: **BACTERICIDAL ACTIVITY (Bacteria):** *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella (choleraesuis) enterica*, *Escherichia coli*, *Escherichia coli 0157:H7*, *Streptococcus pyogenes* (Necrotizing Fasciitis Group A), *Listeria monocytogenes*, *Yersinia enterocolitica*, *Enterococcus faecium*, *Cornibacterium ammoniagenes*, *Salmonella (typhi) enterica* **ANTIBIOTIC-RESISTANT BACTERICIDAL ACTIVITY:** Methicillin resistant *Staphylococcus aureus* (MRSA), *Vancomycin resistant Enterococcus faecalis* (VRE), *Vancomycin intermediate resistant Staphylococcus aureus* (VISA) (CDC isolate 99287), *Methicillin resistant Staphylococcus epidermidis* (MRSE) **TUBERCULOCIDAL ACTIVITY** - This product exhibits disinfectant efficacy against *Mycobacterium tuberculosis* BCG at 20 degrees Centigrade (20°C) when the treated surface is allowed to remain wet for 5 minutes. **VIROCIDAL ACTIVITY** - This product kills on hard, non-porous inanimate surfaces when allowed to remain wet for a 10 minute contact time against: Hepatitis A Virus (HAV), Canine Parvovirus, Poliovirus Type 1. This product, when used on environmental, inanimate hard surfaces exhibits virucidal activity against: Hepatitis B Virus (HBV), Hepatitis C Virus (HCV) and Bovine Viral Diarrhea Virus (BVD) when the treated surface is allowed to remain wet for 5 minutes; Human Coronavirus, SARS associated Coronavirus and Avian Influenza A strain H5N2 and Avian Influenza A strain H9N2 for 2 minutes; Paramyxovirus (Mumps), Rotavirus type 39 and Rotavirus for 3 minutes; HIV-1 (associated with AIDS) for 1 minute; and Norovirus (Norwalk virus), Feline Calicivirus and Rabies Virus for 30 seconds.

KILLS HIV-1, HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids; and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV), and Hepatitis C Virus (HCV).

V.07.02.18
LBI ZUBAC128G • Copy: 06-19
EPA Reg. No. 1839-83-40849
EPA Est. 40849-GA-1
Product Code: ZUBAC128
Distributed by: Zep Commercial Sales & Service
A Unit of Zep, Inc.
350 Joe Frank Harris Pkwy
Emerson, GA 30137
QUESTIONS? 1-888-805-HELP



SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES/OBJECTS BLOOD/BODY FLUIDS. When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks, and personal protection. Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application. **CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application. **CLEANING TIME:** Allow surface to remain wet for HBV and HCV 5 minutes, for HIV-1 1 minute. **These contact times will common types of viruses and bacteria.** **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to infectious waste disposal. **FUNGICIDAL ACTIVITY** - This product is fungicidal against the pathogenic fungus, *Trichophyton mentagrophytes* (Athlete's foot). **PERSONAL PROTECTION:** When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks, and personal protection. **EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE, FUNGICIDE, AND VIRUCID OF ORGANIC SOIL (5% BLOOD SERUM).** **MILDEWSTAT** - To control mold and mildew on pre-cleaned, hard non-porous surfaces spray surface to be treated making su Let air dry. Repeat application at weekly intervals or when mildew growth appears.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

KEEP OUT OF REACH OF CHILDREN. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If swallowed:** Call a poison doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless the poison control center or doctor. Do not give anything by mouth to an unconscious person. **If inhaled:** Move person to fresh air. If not breathing, call 911 or an ambulance then give artificial respiration preferably mouth-to-mouth, if possible. Call a physician or doctor for further treatment advice.

NOTE TO PHYSICIAN
Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.
PESTICIDE STORAGE - Store in a dry place no lower in temperature than 50°F or higher than 120°F.
PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mix or other hazardous wastes cannot be disposed of by use according to label instructions, contact you Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
CONTAINER DISPOSAL - Nonrefillable container. Do not reuse or refill container. Clean container promptly after empty follows: Fill container ¼ full with water and recap. Agitate vigorously. Follow Pesticide Disposal instructions for rinse cycle. Repeat procedure two more times. Offer for recycling or reconditioning, if available puncture and dispose in a sanitary landfill.
Container disposal for Refill Spray Bottle: Do not reuse empty spray bottle except with refill bottle, otherwise discard in empty refill bottle. Wrap refill bottle and discard in trash. Offer for recycling or reconditioning, if available.

CANNON[®]

INDUSTRIAL PRODUCTS, INC.

ATTACHMENT
3A

AZ-F24

Fogger Concentrate

Sanitizer, Disinfectant



With Organic Soil Tolerance For Industrial Sites, Schools, Restaurants, Food Handling and Process Areas, Bars and Institutional Kitchens.

ACTIVE INGREDIENTS:

alkyl (80% C14, 30% C16, 5% C12, 5% C18)	
Dimethyl Benzyl Ammonium Chloride	5.0%
alkyl (63% C12, 32% C14)	
Dimethyl Ethylbenzyl Ammonium Chloride	5.0%
OTHER INGREDIENTS:	90.0%
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO

See side panel of label for additional precautionary statements.

Net Contents: 1 Gallon

E.P.A. Reg. No. 10324-63-70662 E.P.A. Est. No. 8325-PA-01

FIRST AID: In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

stery, exhaust fans, and...

DISINFECTION: This product kills the following bacteria in 10 minutes at 4 oz. per 5 gal. of water (625 ppm active) and 5% soil on hard, non-porous surfaces: *Pseudomonas aeruginosa*, *Salmonella enterica*, *Staphylococcus aureus*.

VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 4 oz. per 5 gal. of water (625 ppm active) and 5% soil on hard, non-porous surfaces: Herpes Simplex Type 1 Virus, Herpes Simplex Type 2 Virus, Human Coronavirus, Influenza A2/Japan Virus.

FOOD CONTACT SANITIZING PERFORMANCE: This product is an effective food contact sanitizer in 1 minute at 1 oz. per 4 gal. of 500 ppm hard water (200 ppm active) on hard, non-porous surfaces: *Aeromonas hydrophila*, *Campylobacter jejuni*, *Clostridium perfringens* (vegetative), *Enterobacter sakazakii*, *Enterococcus faecalis* Vancomycin Resistant (VRE), *Escherichia coli*, *Escherichia coli* O111:H8, *Escherichia coli* O157:H7, *Listeria monocytogenes*, *Salmonella typhi*, *Shigella dysenteriae*, *Staphylococcus aureus*, *Streptococcus pyogenes*, *Yersinia enterocolitica*.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before using this product, food products and packaging materials must be removed from the room or carefully protected.

FOR USE AS A GENERAL DISINFECTANT, VIRUCIDE*: 1. Pre-clean heavily soiled areas. 2. Apply use solution of 4 oz. of this product per 5 gal. of water (or equivalent use dilution) (625 ppm active) to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, mechanical spray device, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. 3. Treated surfaces must remain wet for 10 minutes. 4. Allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. 5. Prepare a fresh solution daily or when visibly dirty.

Solution	
200 ppm	0
300 ppm	0
400 ppm	

FOOD CONTACT SANITIZING PERFORMANCE: This product is an effective food contact sanitizer in 1 minute at 1 oz. per 4 gal. of 500 ppm hard water (200 ppm active) on hard, non-porous surfaces: *Aeromonas hydrophila*, *Campylobacter jejuni*, *Clostridium perfringens* (vegetative), *Enterobacter sakazakii*, *Enterococcus faecalis* Vancomycin Resistant (VRE), *Escherichia coli*, *Escherichia coli* O111:H8, *Escherichia coli* O157:H7, *Listeria monocytogenes*, *Salmonella typhi*, *Shigella dysenteriae*, *Staphylococcus aureus*, *Streptococcus pyogenes*, *Yersinia enterocolitica*.

Immerse pr
and other s
oz. of this
equivalent
to adequa
rinse.
For articl
this prod
lent use
with a t
device,
For spr
spray. I
surface
Do not
Prepa
applic

**SANI
MEN
CON**
refrig
rous
or p
par

ATTACHMENT
38